



tataPak
INDUSTRIES
EST-1992



2026

NEXUS PRO

CATALOGUE

NEXUS PRO



ABOUT US



TATA PAK INDUSTRIES WAS ESTABLISHED ON 1992, DEALING AS WELL EXPERIENCED MANUFACTURES AND EXPORTERS OF ALL KINDS OF HAND STITCHED , MACHINE STITCHED , HYBRID , THERMO TEC SPORTS BALLS, FOOTBALLS, GOALKEEPER GLOVES, SHIN GUARDS, SPORTS WEAR WITH COMPLETE QUALITY ASSURANCE. FROM 2019 OUR **SECOND GENERATION** HAVE JOINED OUR COMPANY AND START NEW INNOVATION BOXING EQUIPMENTS WHICH WE HAVE GOT GOOD RESPONSE FROM OUR VALUABLE CUSTOMER SERVING LARGE NUMBER OF WORTHY CUSTOMERS ALL OVER THE WORLD WITH THEIR COMPLETE SATISFACTION EXACTLY ACCORDING TO THEIR COMMANDED SPECIFICATIONS.

WE HAVE OUR OWN PRODUCTION UNITS OF:

- 1- ALL KIND OF SPORTS BALLS**
- 2- SPORTS WEAR**
- 3-GOALKEEPING GLOVES & SHIN GUARD**
- 4-BOXING EQUIPMENTS**

TATA PAK INDUSTRIES PROMOTES ITS BUSINESS THROUGH FOREIGN TRIPS, CATALOGUES, INTERNET & EXHIBITIONS. TATA PAK INDUSTRIES EXHIBITS REGULARLY UNDER MENTIONED WORLD'S FAMOUS EXHIBITIONS:
HONG KONG TOYS AND GAMES FAIR / CANTON FAIR CHINA / ISPO MUNICH WINTER.

TATA PAK INDUSTRIES ORGANIZE MANAGEMENT MEETINGS TIME TO TIME FOR UP –DATE INFORMATION'S REGARDING NEW INVENTED MATERIALS, CURRENCY FLUCTUATION EFFECTS ETC AND HAVE GREAT ENTHUSIASM TO PROVIDE THE BEST CAPABLE SERVICE TO ITS WORTHY CLIENTS ALL THE TIME.



FINE QUALITY PRO



437.A1A



TEST REPORT

TESTS	SINGLE RESULTS			MEAN	PERFORMANCE LEVEL REQUIRED
Weight [g]	430.9	431.9	429.9	--	420 - 445 g
Circumference [cm]	68.8	68.8	69.0	--	68.5 - 69.5 cm
Sphericity [%]	1.2	1.1	1.0	--	max. 1.5 %
Loss of Pressure [%]	9.7	9.7	9.8	--	max. 20 %
Water Absorption [%]	8.7	0.2	0.3	3.1	Single result: max. 10 %
Rebound at 20°C [cm]	143	143	142	--	135 - 155 cm
Rebound at 5°C [cm]	134	135	133	--	min. 125 cm
Difference between highest and lowest rebound of the 3 tested balls					
at 20°C [cm]	--	1	--	--	max. 10 cm
at 5°C [cm]	--	2	--	--	max. 10 cm
Shape and Size Retention Test after 2000 cycles					
Stitch and valve	undamaged	undamaged	undamaged	--	undamaged
Increase Circumference [cm]	0.4	0.4	0.4	--	max. 1.5 cm
Sphericity [%]	1.3	1.1	1.1	--	max. 1.5 %
Change in Pressure [bar]	-0.04	-0.04	-0.04	--	max. 0.1 bar



1016422

TESTS		SINGLE RESULTS			MEAN	PERFORMANCE LEVEL REQUIRED
Weighing value	g	422	435	434	430	410 - 450
Circumference	cm	69,4	69,1	68,9	69,1	68,0 - 70,0
Sphericity	%	1,1	1,2	0,8	1,0	≤ 1,8
Loss of Pressure	%	5	5	5	5	≤ 25
Water Absorption	%	1,1	3,2	3,5	2,6	≤ 10
Rebound at 20°C	cm	132,5	133,4	131,8	132,6	125 - 155
Rebound at 5°C	cm	122,2	121,6	118,9	120,9	≥ 115
Difference between highest and lowest rebound	-	-	-	-	-	-
at 20°C	cm	1,6			1,6	≤ 10
at 5°C	cm	3,3			3,3	≤ 10

SOCCER BALL

FINE QUALITY PRO



PERFORMANCE TEST REPORT

	RESULT	IMS	FIFA QUALITY	FIFA QUALITY PRO	PARAMETERS
WEIGHT:	438 GM	410-450 GM	410-450 GM	420-445 GM	MEASUREMENT AT POINT OF INFLATION 0.8 BARS
CIRCUMFERENCE:	691 MM	680 - 700 MM	680 - 700 MM	685 - 695 MM	6 POINT AVERAGE FIGURES PRESSURE AT 0.8 BARS
ROUNDNESS :	0.96%	1.8%	1.8%	1.5%	16 POINT DIAMETER AVERAGE FIGURES PRESSURE AT 0.8 BARS
PRESSURE LOSS:	9.10%	25.0%	25.0%	20.0%	1.0 BAR PRESSURE AT START PRESSURE LOSS PARAMETER AFTER 72 HOURS
REBOUNCE (20 C):	144 CM	125 - 155 CM	125 - 155 CM	135 - 155 CM	DROP POINT FROM 20 METER ON TO STEEL PLATE SURFACE AVERAGE FIGURE BASED ON 10 RELEASE
REBOUNCE (5 C):	130 CM	MIN 115 CM	MIN 115 CM	MIN 125 CM	
WATER ABSORPTION:	13.8% / 16.2%	10% / 10%	10% / 10%	10% / 10%	250 CYCLE BAL COMPRESSION INTO 2 INCH BASIN OF WATER (AVG % / MAX %)
SHAPE & SIZE RETENTION:					
CIRCUMFERENCE INCREASE	0.4 CM	NA	1.5 CM	1.5 CM	
DEVIATION ON SPHERICITY	0.21%	NA	1.8 %	1.5 %	
CHANGE IN PRESSURE	BAR 0.03	NA	0.1 BAR	0.1 BAR	

- ① BUTYL BLADDER
- ② POLYESTER THREAD REINFORCED TREATMENT ON BLADDER
- ③ SBR LATEX HIGH QUALITY FOAM LAMINATION
- ④ MULTIPLE CROSS LAMINATION OF POLYESTER FABRIC
- ⑤ HIGH DENSITY PU



FINE QUALITY PRO

16 PANELS



GC-01-26



NGC-04-26



NGC-05-26

GC-03-25



GC-02-26



NGC-06-26

12 PANELS



SOCCER BALL

**NEXUS
PRO**

FINE QUALITY PRO

10 PANELS



GC-07-26

GC-08-25



GC-09-26



NGC-11-26



NGC-12-26



06 PANELS

NGC-10-26

FINE QUALITY PRO

16 PANELS



GC-13-26

GC-15-26



GC-17-26



GC-18-26



GC-14-26



NGC-16-26

12 PANELS



SOCCER BALL

**NEXUS
PRO**

FINE QUALITY PRO

16 PANELS

GC-23-25



NGC-19-25



GC-24-25

GC-22-25



NGC-21-25

24 PANELS



NGC-20-25



FINE QUALITY PRO

NGC-30-25

16 PANELS
GC-25-25



NGC-29-25



GC-26-25



GC-27-25



NGC-28-25
12 PANELS

SOCCER BALL

**NEXUS
PRO**

FINE QUALITY PRO

12 PANELS

NGC-31-25




GC-35-25



GC-36-25

GC-34-25



12 PANELS

NGC-32-25



NGC-33-25



FINE QUALITY PRO



12 PANELS
NGC-37-26



NGC-41-26



NGC-42-26

NGC-38-26



NGC-39-26



NGC-40-26
12 PANELS



SOCCER BALL




FINE QUALITY PRO

24 PANELS

NGC-46-26

NGC-43-26




32 PANELS

NGC-44-26



NGC-45-26



NGC-47-26




NGC-48-26

NGC-50-26



NGC-51-26

NGC-52-26



NGC-49-26



NGC-54-26



NGC-53-26

SOCCER BALL



FINE QUALITY PRO

GC-55-26



GC-59-26



GC-60-26

GC-58-26



GC-56-26



GC-57-26

FINE QUALITY PRO

GC-62-26



GC-63-26



GC-64-26



GC-61-26



GC-65-26



GC-66-26



SOCCER BALL

FINE QUALITY PRO

**NEXUS
PRO**



GC-67-26



GC-71-26



GC-72-26



GC-70-26

GC-68-26



GC-69-26

FINE QUALITY PRO

GC-73-26



GC-77-26



GC-78-26

GC-76-26



GC-74-26



GC-75-26



SOCCER BALL

**NEXUS
PRO**

FINE QUALITY PRO



GC-79-26



GC-83-26



GC-84-26

GC-80-26



GC-81-26

GC-82-26


**FUTSAL
BALL**



FINE QUALITY PRO

NGC-85-26

16 PANELS



NGC-86-26



NGC-88-26



NGC-89-26



12 PANELS

NGC-87-26



NGC-90-26


NGC-91-26




VOLLEYBALL




FINE QUALITY PRO



GC-92-26




GC-96-26




GC-97-26

GC-93-26



GC-94-26

GC-95-26





GC-98-26



GC-99-26



GC-100-26



GC-101-26



GC-102-26



NGC-103-26



NGC-104-26



GC-105-26

VOLLEYBALL



PROMOTION QUALITY



GC-106-26



GC-107-26



GC-108-26




GC-109-26



GC-110-26



GC-111-26



GC-112-26



GC-113-26



Toorabad Daska Road, Sialkot-Pakistan.

Voice: +92-52- 3550163

+92-52-3557608

Mobile: +92-300-8710424



info@tatapak.com

tatapak@gmail.com

www.tatapak.com

www.tatapak.trustpass.alibaba.com

Skype: tata.pak.industries

QQ: 2783658732

Msn id: tatapak@live.com

